The Journal of THORACIC AND CARDIOVASCULAR SURGERY

Official organ, The American Association for Thoracic Surgery and The Samson Thoracic Surgical Society

Editor DWIGHT C. McGOON, *Rochester, Minn.*

Associate editors PHILIP E. BERNATZ, *Rochester, Minn.*
MICHAEL P. KAYE, *Rochester, Minn.*

Advisory editorial board
W. GERALD AUSTEN, *Boston*
RONALD J. BAIRD, *Toronto*
ALDO R. CASTANEDA, *Boston*
WILLARD M. DAGGETT, *Boston*
DONALD B. DOTY, *Iowa City*
L. PENFIELD FABER, *Chicago*
VINCENT L. GOTT, *Baltimore*
HERMES C. GRILLO, *Boston*
GERARD A. KAISER, *Miami*
JOHN W. KIRKLIN, *Birmingham*
GEORGE G. LINDESMITH, *Los Angeles*
FLOYD D. LOOP, *Cleveland*
GEORGE J. MAGOVERN, *Pittsburgh*
JAMES R. MALM, *New York*
NAEL MARTINI, *New York*
NOEL L. MILLS, *New Orleans*
DONALD G. MULDER, *Los Angeles*
FREDERICK G. PEARSON, *Toronto*
J. GORDON SCANNELL, *Boston*
DAVID B. SKINNER, *Chicago*
NICHOLAS P. D. SMYTH, *Washington, D. C.*
FRANK C. SPENCER, *New York*
ALBERT STARR, *Portland*
JOE R. UTLEY, *San Diego*
JOHN A. WALDHAUSEN, *Hershey, Pa.*
V. L. WILLMAN, *St. Louis*

Editorial assistant AGNES M. OSBORN, *Rochester, Minn.*

Former Editors
EVARTS A. GRAHAM, *Editor, 1931-1957*
EMILE HOLMAN, *Editor, 1957-1962*
BRIAN BLADES, *Editor, 1962-1977*

Volume 83, January-June, 1982
The C. V. Mosby Company
St. Louis, Mo.

Volume 83
Copyright © 1982 by The C. V. Mosby Company
All rights reserved
Printed in the United States of America

Author index*

A

Adams PX, 483
Addonizio VP Jr, 805
Agarwal KC, 584, 791 (L)
Alaoui A, 185 (D)
Alexander JA, 784
Alivizatos P, 290
Allen P, 339
Alvarez Diaz F, 149 (L)
Alyono D, 519, 522 (D)
Amato JJ, 80 (D)
Anderson RH, 453, 461
Anderson RP, 511 (D)
Angell JD, 493
Angell WW, 493, 502 (D)
Annest LS, 546, 550 (D)
Arén C, 205
Artiñano E, 905
Austen WG, 81
Avery GJ II, 718
Ayabe H, 418
Ayvaliotis B, 701

B

Babcock TL, 100
Bachet J, 212, 217 (D)
Badanowski R, 650
Bahn CH, 389 (D)
Bahnson HT, 577
Bailey LL, 678 (D), 684 (D)
Baker EJ, 531 (D)
Bakhos M, 122
Balsara RK, 755
Barash PG, 797 (L)
Bargeron LM Jr, 736
Barnard CN, 133, 873
Barner HB, 636 (L)
Barnhart GR, 399, 618
Baron DW, 772
Baughman KL, 126
Baumann FG, 686
Becker AE, 461
Behrendt DM, 650, 743
Belsey R, 202 (D)
Benfield JR, 372, 376 (D), 522 (D), 562 (D), 684 (D)
Bennett EV Jr, 363
Berg R Jr, 150 (L), 192 (D)
Bergdahl LAL, 736
Berkoff HA, 65
Bertrand E, 52
Bical O, 212
Bieber CP, 168
Binford JM, 385
Black I, 755
Blackstone EH, 239, 736
Blake KD, 784
Booker PD, 824
Borkon AM, 105
Borman JB, 794 (L)
Borst HG, 637 (L)
Bortolotti U, 891
Bosher L, 248 (D)
Bosley J, 472 (L)
Brandt B III, 94
Brantigan CO, 522 (D)
Brenken U, 108
Bridgman AH, 227
Brown BG, 711
Brown E, 256
Brown SE, 285
Brundage BH, 512
Buckberg G, 637 (L)
Bulkley BH, 126
Burke WA, 12
Burr LH, 339

C

Cabo Salvador J, 149 (L)
Calcagno D, 857
Campbell DN, 680, 685 (D)
Capuani A, 449
Carey JS, 711
Carpentier A, 27, 42 (D), 216 (D), 602
Carpentier S, 27
Carter JG, 732
Casta A, 141
Catinella FP, 686, 699 (D)
Chauvaud S, 27
Chauvet J, 52
Chavez AM, 618
Chesebro JH, 90
Chioin R, 891
Choi SC, 290
Chopra PS, 65
Clark RE, 42 (D), 324, 471 (L)
Clarke DR, 79 (D)
Clarke WR, 724
Clauss RH, 202 (D)
Clayton PD, 503
Cohn LH, 256
Colapinto RF, 72 (C)
Coles JG, 824
Coliins JJ Jr, 256
Colman RW, 805
Colvin SB, 483, 701
Comis RL, 12
Cooley DA, 41 (D)
Cooper DKC, 133
Cooper JD, 1, 418
Copeland J, 563
Cordovilla Zurdo G, 149 (L)
Coulibaly AO, 52
Cox JL, 840, 850, 857, 865
Crawford FA Jr, 546
Crowley DC, 743
Crummy AB, 65
Csorba L, 272
Cukingnan RA, 501 (D), 698 (D), 711, 717 (D)
Culliford AT, 483, 701, 709 (D)
Cunningham JN, 483, 686
Currie WD, 298, 390
Cutler BS, 767, 914

D

Daggett W, 767
Damus PS, 316
Danielson GK, 569, 584, 791 (L)
Darakjian HE, 551
Davis MV, 201 (D)
Dearden LC, 602
DeCaro L, 372
DeLarue NC, 1
Del Campo C, 937 (L)
Deloche A, 27
DeMeester TR, 551
DeSanctis RW, 81
Deuvaert FE, 264
Dhanani SP, 65
d'Hollander A, 264
Dibbell DG, 632
di Carlo D, 437
DiFino SM, 12
DiSesa VJ, 256
Dobbs WA, 117
Donahoo JS, 178
Donner R, 755
Dorsey JS, 635 (L)
Dorsey LM, 813
Doty DB, 326, 337 (D), 724, 732
Dubois-Primo J, 264
Dubost C, 27
Dugan DJ, 225 (D), 934
Dunn JM, 755
Duran CG, 905

E

Ebert PA, 184 (D), 362 (D), 512 (D), 669 (D), 670, 679 (D), 717 (D)
Economou JS, 643
Edie RN, 805
Edmunds LH Jr, 210 (D), 805
Edwards WD, 569, 584, 657 (D), 791 (L)
Eggleston JE, 643

*January, pp. 1-162; February, pp. 163-322; March, pp. 323-482; April, pp. 483-642; May, pp. 643-804; June, pp. 805-966. *Key:* In this index, (C) = commentary, (D) = discussion, and (L) = letter to the Editor.

Ehrenhaft JL, 94
Ekra A, 52
Ellis RJ, 544 (D), 637 (L), 796 (L)
Ellison N, 805
Engelman RM, 117
Eufrate SA, 638 (L)

F

Faber LP, 18 (D)
Fabiani J-N, 27
Feldt RH, 569, 584, 791 (L)
Fell SC, 201 (D)
Ferrans VJ, 399, 602, 618
Ferrer PL, 141
Ferson PF, 577
Ferulo J, 767
Firestone FN, 522 (D)
Fiser WP, 523, 531 (D)
Fishbein MC, 602
Foker JE, 918, 928
Fontes VF, 20
Fox LS, 239, 248 (D)
Fraser CB, 873
Frater RWM, 50 (D)
Freedom RM, 437
Friday CD, 523
Friedman MJ, 563
Fuster V, 90

G

Galioto FM Jr, 306
Gall WE, 724
Gallagher JJ, 865
Gallo JI, 905
Gallucci V, 891
Garcia OL, 141
Gardner TJ, 126, 178, 185 (D)
Garibaldi A, 122
Gates S, 81
Geha AS, 377, 384 (D), 544 (D), 722 (D)
Gelband H, 141
Gerbode F, 718
Gerein AN, 339
Gerlis LM, 453
Gigou F, 212
Gill CC, 597
Ginsberg SJ, 12
Glassman EA, 483, 686
Glazer Y, 936 (L)
Glenn WWL, 377
Goldberg M, 418
Golding LR, 597
Goldman S, 563
Golomb HM, 551
Gonzalez-Lavin L, 64 (D)
Goodman AP, 602
Goor DA, 747
Gordon LI, 551
Goudot B, 212
Grieco J, 122
Griepp R, 383 (D)
Griffith BP, 577
Grinnell VS, 532
Grisolia EF, 891
Groff DB, 408, 761
Grondin PR, 939 (L)
Grover FL, 363
Groves LK, 597
Guerraty A, 290
Guilmet D, 212
Gullo JJ, 12
Gundry SR, 659, 669 (D), 698 (D)
Gutierrez FR, 471 (L)
Guyton RA, 813

H

Haasler GB, 878
Hackner E, 796 (L)
Haller JA, 203 (D)
Haller JD, 501 (D)
Hammond GL, 377, 635 (L), 797 (L)
Hardesty RL, 577
Hardy JD, 17 (D), 218
Harley DP, 532
Harrison CE Jr, 772
Harthorne JW, 81
Hassoulas J, 133
Hatcher CR Jr, 235, 813
Hawes CR, 349, 422
Heidelberger K, 650
Heimbecker RO, 937 (L)
Hennart D, 264
Henry R, 563
Hernandez J, 349
Hess ML, 290
Hessel EA II, 385
Hilgenberg AD, 358
Hill JD, 718, 723 (D)
Hill LD, 549 (D)
Hishikar A, 470 (L)
Hiyama T, 909
Ho SY, 453
Holman WL, 840, 850, 857
Holmes EC, 369 (D), 643, 648 (D)
Homan van der Heide JN, 108
Hori M, 909
Hudson B, 290
Huhta JC, 569
Human DG, 873
Humphreys GH, 926 (D)

I

Ideker RE, 840
Ikins PM, 12
Ilie B, 936 (L)
Ilves R, 1
Imamura E, 610
Inoue H, 940 (L)
Iriyama T, 909
Ishida I, 278
Ishihara S, 610
Ishihara T, 399, 618
Isom OW, 483, 701

J

Jackson JW, 414
Jacobs G, 597
James TN, 590
Jamieson SW, 168
Jamieson WRE, 339
Janik JS, 408, 761
Jatene AD, 20, 26 (D)
Jellinek M, 636 (L)
Jensen RL, 503, 511 (D)
Joffe HS, 873
Johnson RE, 813
Jones K, 348 (D)
Jones M, 105, 399, 618
Jones RJ, 716 (D)
Jones RN, 298
Julsrud PR, 791 (L)

K

Kaiser G, 141
Kalmar P, 186
Kane PF, 830
Kapur S, 306
Karbhase J, 470 (L)
Karliczek GF, 108
Karmilowicz NP, 249
Karp RB, 590
Kawada S, 940 (L)
Kay HR, 635 (L)
Kayser KL, 796 (L)
Kelly TF Jr, 358
Kerth WJ, 718
Khonsari S, 443
King GA, 12
Kirklin JW, 239, 736
Kirchner PT, 551
Kirschner PA, 9 (D)
Kirsh MM, 10 (D), 830
Kitten CM, 363, 371 (D)
Knopp EA, 686
Koide S, 940 (L)
Kosek JC, 493
Kouchoukos NT, 590
Koyanagi H, 610
Kratz JM, 531 (D), 546
Krebber HJ, 186, 193 (D)
Kreutzer EA, 427
Kreutzer GO, 427
Kroncke GM, 65
Kuck K-J, 186
Kulka F, 272
Kuwahara T, 278

L

LaFollette L, 718
Laks H, 377
Lane E, 27
Larrieu AJ, 339, 348 (D)
Laura JP, 427
Laurian C, 212
Lazrove S, 532, 537 (D)
Le Clerc JL, 264
Lee ME, 796 (L)
Lee W, 349
Lees MH, 443
Lell WA, 795 (L)
Lemole GM, 249
Lennox SC, 233 (D)
Lerberg DB, 577
Levett JM, 551, 562 (D)
Levy RJ, 602
L'Heureux PR, 918
Li W-I, 18 (D)
Liddle HV, 362 (D), 503
Lilly JR, 680
Lima O, 418
Lincoln C, 449
Lindesmith GG, 678 (D)
Lipton MJ, 512
Lockhart C, 349
Lofland GK, 840, 850, 857
Longechaud A, 52
Loop FD, 597
Love JW, 779
Lowe JE, 227, 234 (D)
Lower RR, 177 (D), 290
Lu C-t, 551
Luisi VS, 638 (L)

M

Macartney FJ, 453
McEnany MT, 81
McGoon DC, 316, 461, 538, 584
MacGregor DC, 824
McIntosh CL, 105, 399
McKay CR, 512
McKnight RC, 471 (L)
McLoughlin TG, 316
MacMahon H, 551
McNamara J, 337 (D)
Maeta H, 909
Magilligan DJ, 383 (D)
Magovern GJ, 324, 492 (D)
Mair DD, 791 (L)
Mansfield PB, 356 (D), 669 (D)
Mark JBD, 194, 375 (D), 531 (D)
Martini N, 9 (D)
Martyn JW, 790 (L)
Maruyama K, 278
Mathey D, 186
Matloff JM, 796 (L)
Mavroudis C, 670
Maxwell S, 27
May IA, 346 (D)
Mazzucco A, 891
Meeran MK, 117
Mehta AV, 141
Mergner W, 472 (L)

Merin G, 794 (L)
Merrill D, 348 (D)
Messmer BJ, 191 (D)
Metras D, 52, 64 (D)
Meyer BW, 163
Meyer JA, 12, 18 (D)
Midgley FM, 306
Mikhail M, 349, 357 (D)
Miller DC, 708 (D)
Miller DW Jr, 385, 389 (D)
Mills LJ, 203 (D)
Mistretta CA, 65
Mitsui T, 909
Miyagishima RT, 339
Montanaro GD, 732
Montoya A, 122
Morrow AG, 105
Morton DL, 370 (D)
Moulton AL, 184 (D), 472 (L)
Moye SJ, 813
Moyers JR, 732
Mudge GH Jr, 256
Mundth ED, 81
Munro AI, 339
Myerowitz PD, 65, 71 (D), 73 (C)

N

Nagaraj HS, 408, 761
Nashef A, 27, 602
Nasser FN, 772
Nathan IM, 686
Navia JA, 41 (D)
Neill CA, 178
Nelson RJ, 63 (D), 532
Neto CA, 20
Neufeld HN, 747
Newsom BD, 218, 226 (D)
Niewiarowski S, 805
Nishiya Y, 610
Nosé Y, 597

O

Oakes DD, 194, 203 (D)
Oakley CM, 901
Ochsner JL, 248 (D)
Ogawa J, 940 (L)
Ohmori Y, 278
Ohteki H, 610
Okamura K, 909
Okike ON, 767, 914
Olsen CO, 298
Orszulak TA, 538, 544 (D)
Oster WF, 472 (L)
Ouattara K, 52
Ovitt T, 563
Oyer PE, 168

P

Pacifico AD, 736
Page US, 697 (D)
Panday S, 470 (L)
Pappas G, 349, 422
Paraskos JA, 767
Parker FB Jr, 12
Pasque MK, 390
Paulista PP, 20
Pearl SN, 632
Pearson FG, 1, 10 (D), 414
Peetz DJ Jr, 743
Pellegrino PA, 891
Pellom GL, 298, 390
Pennington DG, 491 (D)
Pennock JL, 168, 177 (D)
Perier P, 27
Perry JF Jr, 519
Perry LW, 306
Peters RM, 10 (D), 530 (D), 537 (D)
Peters WJ, 418
Peyton RB, 298, 390
Phillips SJ, 192 (D)
Piccoli GP, 453
Pickoff AS, 141
Piehler JM, 538
Pifarré R, 122
Pittaluga S, 794 (L)
Plumb VJ, 590
Pluth JR, 538
Pomerantz M, 347 (D)
Primo G, 264
Pucci JJ, 901
Puga FJ, 74, 80 (D), 584

Q

Quick G, 840, 850, 857

R

Rådegran K, 205, 211 (D)
Rainer WG, 358, 362 (D), 383 (D)
Randolph JG, 926 (D)
Rao AK, 805
Read RC, 523
Reitz BA, 168, 177 (D)
Relland J, 27
Renner JW, 285
Reves JG, 795 (L)
Riker JB, 285
Ring WS, 918, 926 (D), 928
Roberts WC, 105, 399
Robicsek F, 210 (D)
Rodewald G, 186
Rodgers BM, 784
Rodigas PC, 878
Rodriguez Coronel A, 427
Rodvien R, 718
Rohman M, 238 (D)
Roland JMA, 178
Rose AG, 133
Rose DM, 483, 492 (D), 618
Rosenfeld A, 563
Rosenthal A, 650
Rousou JH, 117
Rowe GG, 65
Rowe RD, 437
Ruckman RN, 306

S

Sabiston DC Jr, 227
Sadler TR Jr, 358
Sagara T, 278
Salomon N, 563
Salyer J, 376 (D)
Salzman EW, 81
Samuelson PN, 239, 795 (L)
Sapsford RN, 901
Saunders PW, 443
Sawada K, 278
Schaff HV, 538
Schlichter AJ, 427
Scott LP III, 306
Seipp HW Jr, 659
Seki Y, 278
Senning Å, 26 (D)
Seward JB, 791 (L)
Shapira N, 650, 658 (D)
Shapiro SR, 306
Shaw C-G, 65
Shemin R, 701
Shem-Tov A, 747
Sherck JP, 194
Shimon D, 794 (L)
Shlafer M, 830
Shohtsu A, 940 (L)
Shore DF, 449
Shumway NE, 168
Siewers RD, 577
Silver AW, 648 (D)
Simcha A, 794 (L)
Singleton RT, 472 (L)
Sloan H, 743
Smith EEJ, 901
Smith HC, 538
Smith K, 141
Smith PK, 840, 850, 857
Snyder BA, 100
Solomon RE, 659
Sousa JEMR, 20
Souza LCB, 20
Spagna PM, 249
Spencer FC, 248 (D), 483, 686, 701
Spicer RL, 743
Spodick DH, 150 (L)
Spotnitz HM, 43, 50 (D), 878
Spray TL, 390
Srungaram RK, 686
Stanley TE III, 840, 850, 857
Stansel HC, 377
Starr A, 443
Stellin G, 891
Stephenson LW, 311, 805
Sternberg P, 551
Steward DJ, 824
Stewart RW, 239
Stinson EB, 168
Straehley C, 561 (D)
Strong MD, 249
Suarez JC, 427
Subramanian S, 638 (L)
Sullivan HJ, 122
Swanson DK, 65
Symbas PN, 235, 238 (D)
Synhorst DP, 349
Szarnicki RJ, 718

T

Tait GA, 824
Takaro T, 225 (D)
Tamer D, 141
Tamura T, 909
Tanaka F, 278
Teger-Nilsson A-C, 205
Thiene G, 891
Thomas AN, 536 (D)
Thomson NB Jr, 316
Tiefenbrunn AJ, 471 (L)
Tinker JH, 772
Tinsley RW, 12
Todd TRJ, 1
Toews W, 349
Townsend E, 418
Trump DL, 643
Trusler GA, 26 (D), 437
Tsutsui T, 610
Turley K, 512, 670
Turnipseed WD, 65
Tyers GFO, 339

U

Ullyot DJ, 71 (D), 512, 518 (D)
Unger FH, 491 (D)
Ungerleider RM, 840, 850, 857, 865
Uretzky G, 74
Utley JR, 517 (D), 669 (D)

V

Vaislic CD, 939 (L)
Val F, 905
van den Dungen JJAM, 108
Vander Salm TJ, 767, 914
Van Lysel M, 65
Van Trigt P, 298, 390
Varco RL, 918, 928
Vargas A, 939 (L)
Vargas FJ, 427
Vidne B, 936 (L)
Vincze K, 272
Vineberg AM, 192 (D)
Vlasis SE, 235
Von Hoff DD, 363

W

Waldhausen JA, 492 (D)
Waldo AL, 590
Walesby RK, 901
Walls JT, 772
Wallwork J, 168

Walsh TJ, 126
Warner M, 290
Watson DC, 306
Wechsler AS, 298, 390
Weinberg P, 311
Weiner MA, 632
Weinstein G, 670
Weintraub RM, 81
Westaby S, 414
Wheatley DJ, 211 (D)
White RA, 532
Whitfield J, 349
Whitman G, 311
Wicomb W, 133
Wildevuur CRH, 108
Wilkinson JL, 453
Wilkinson PL, 795 (L)
Williams JM, 840, 850, 857
Williams WG, 437
Willman VL, 121 (C)
Wilson GJ, 824
Wilson RM, 718
Wittig JH, 711
Wolff GS, 141
Wright JO III, 94
Wright PW, 285

Y

Yacoub U, 761
Yakirevich V, 936 (L)
Yamaguchi T, 909

Z

Zorn GL Jr, 590

Subject index*

A

Acidosis, tissue, myocardial, effect of multidose cardioplegia and cardioplegic solution buffering on (Tait et al.), 824

Acute aortic dissection, four-year clinical experience with gelatin-resorcine-formol biological glue in (Bachet et al.), 212

coronary artery occlusion secondary to blunt chest trauma (Pifarré et al.), 122

Adolescent, accelerated calcific degeneration of bovine pericardial valve in (Shimon et al.), 794 (letter)

Advisory editorial board, 1982, 323

American Association for Thoracic Surgery: Announcement of 1982 Annual Meeting, 152, 319, 479, 639

Announcement of 1983 Annual Meeting, 798, 943

Graham Traveling Fellowship, 942

Program of 1982 Annual Meeting, 474

Board of Thoracic Surgery: Notice of certifying examination, 162, 322, 482, 642, 801, 946

Anastomosis(es), atriopulmonary (Kreutzer et al.), 427

cava-pulmonary (Glenn), in palliative treatment of congenital heart disease, role of (di Carlo et al.), 437

loose, technical hint to correct (Grondin et al.), 939 (letter)

Anesthesia, endobronchial, changes in arterial oxygenation and pulmonary shunt during thoracotomy with (Fiser et al.), 523

for myocardial revascularization (Lell et al.), 795 (letter); Reply (Wilkinson), 795

one-lung, new device for: endotracheal tube with movable blocker (Inoue et al.), 940 (letter)

Aneurysm(s) of ascending aorta and transverse arch: surgical experience in 80 patients (Culliford et al.), 701

dissecting, improved results for: intraluminal sutureless prosthesis (Lemole et al.), 249

syphilitic, of ascending aorta into main pulmonary artery, rupture of: successful emergency repair (Panday et al.), 470 (letter)

Annular ring, tricuspid, prosthetic, fracture of (Kay and Hammond), 635 (letter)

Anomaly, lethal, asymptomatic, of early infancy: congenital funnel-shaped tracheal stenosis (Janik et al.), 761

Taussig-Bing, new technique for correction of (Smith et al.), 901

Anticoagulation, "adequate," fatal thrombosis of aortic St. Jude Medical valve despite: anatomic and technical considerations (Moulton et al.), 472 (letter)

Antithrombotic therapy on patency rates of saphenous vein coronary artery bypass grafts, effect of (McEnany et al.), 81

Aorta, ascending, into main pulmonary artery, rupture of syphilitic aneurysm of: successful emergency repair (Panday et al.), 470 (letter)

and transverse arch, aneurysms of: surgical experience in 80 patients (Culliford et al.), 701

coronary artery bypass grafts, and left ventricular function, new technique for noninvasive evaluation of: computerized fluoroscopy (Myerowitz et al.), 65

vein grafts, drug trials in prevention of occlusion of (Chesebro and Fuster), 90 (edit.)

bypass, subsequent, management of evolving myocardial infarction by intracoronary thrombolysis and (Krebber et al.), 186

descending, right, left cervical aortic arch, and right ligamentum arteriosum: vascular ring (Whitman et al.), 311

Aortic arch, cervical, left, right descending aorta, and right ligamentum arteriosum: vascular ring (Whitman et al.), 311

coarctation in infants, determinants of early success in repair of (Bergdahl et al.), 736

dissection(s), acute, four-year clinical experience with gelatin-resorcine-formol biological glue in (Bachet et al.), 212

ascending, occurring late after cardiac operation, results of (Orszulak et al.), 538

St. Jude Medical valve despite "adequate" anticoagulation, fatal thrombosis of: anatomic and technical considerations (Moulton et al.), 472 (letter)

*January, pp. 1-162; February, pp. 163-322; March, pp. 323-482; April, pp. 483-642; May, pp. 643-804; June, pp. 805-966.

Aortic—Cont'd
stenosis, calcific, and gastrointestinal bleeding, syndrome of: resolution following aortic valve replacement (Love), 779
window, bronchogenic carcinoma located in: importance of primary lesion as determinant of survival (Levett et al.), 551
Arch, aortic, cervical, left, right descending aorta, and right ligamentum arteriosum: vascular ring (Whitman et al.), 311
transverse, and ascending aorta, aneurysms of: surgical experience in 80 patients (Culliford et al.), 701
Arrest, cardiac, elective, and cardiopulmonary bypass, beneficial effects of multidose coronary artery washout during: biochemical and hemodynamic evaluation (Walls et al.), 772
cardioplegic, potassium, hypothermic, temperature dependence of recovery of metabolic function following (Rousou et al.), 117
Arterial oxygenation and pulmonary shunt during thoracotomy with endobronchial anesthesia, changes in (Fiser et al.), 523
repair without coronary relocation for complete transposition of great vessels with ventricular septal defect: report of case (Damus et al.), 316
Arteriography, operative, in coronary artery bypass operations, technique and value of (Rainer et al.), 358
should all patients with first rib fracture undergo (Lazrove et al.), 532
Arteriosum, ligamentum, right, left cervical aortic arch, and right descending aorta: vascular ring (Whitman et al.), 311
Arteriovenous malformations, pulmonary, multiple, complicating hereditary hemorrhagic telangiectasia, staged bilateral thoracotomies for (Brown et al.), 285
Artery(ies) bypass grafts, coronary, aorta, and left ventricular function, new technique for noninvasive evaluation of: computerized fluoroscopy (Myerowitz et al.), 65
saphenous vein, effect of antithrombotic therapy on patency rates of (McEnany et al.), 81
grafting, coronary, increased regional myocardial perfusion after intracoronary papaverine in patients after (Goldman et al.), 563
operations, coronary, technique and value of operative arteriography in (Rainer et al.), 358
vein grafts, coronary, factors influencing early patency of: correlation of angiographic and ultrastructural findings (Catinella et al.), 686
continuity, right ventricle–hypoplastic pulmonary, without use of extracorporeal circulation, establishment of (Puga and Uretzky), 74
great, transposition of, anatomic correction of (Jatene et al.), 20
complete, with ventricular septal defect, abnormalities of tricuspid valve in (Huhta et al.), 569
with criss-cross heart, palliative repair of: ventricular septal defect and hypoplastic right (systemic) ventricle (Dunn et al.), 755
impeded coronary flow in anatomic correction of: prevention, detection, and management (Goor et al.), 747
hemorrhage, pulmonary, catheter-induced (Lee et al.), 796 (letter); Reply (Barash and Hammond), 797
occlusion, coronary, acute, secondary to blunt chest trauma (Pifarré et al.), 122
pulmonary, main, rupture of syphilitic aneurysm of ascending aorta into: successful emergency repair (Panday et al.), 470 (letter)
Artery(ies)—Cont'd
vein grafts, aorta–coronary, drug trials in prevention of occlusion of (Chesebro and Fuster), 90 (edit.)
washout, coronary, multidose, during elective cardiac arrest and cardiopulmonary bypass, beneficial effects of: biochemical and hemodynamic evaluation (Walls et al.), 772
Atresia, common pulmonary vein: importance of immediate recognition and surgical intervention (Khonsari et al.), 443
Atrial fibrillation and atrial flutter following cardiac operation, verapamil therapy of (Plumb et al.), 590
septum, new, in Senning operation, reconstruction of (Eufrate and Luisi), 638 (letter); Reply (Subramanian), 638
Atriopulmonary anastomosis (Kreutzer et al.), 427
Atrioventricular canal, complete, surgical management of (Mavroudis et al.), 670
defects, complete, postoperative pathology of (Thiene et al.), 891
septal defects, left-sided obstructive lesions in: anatomic study (Piccoli et al.), 453
What's in a name (Becker and Anderson), 461 (edit.)
and sinus nodal function: preoperative and early postoperative assessment in children (Wolff et al.), 141

B

Baboon heart after 20 to 24 hours' preservation by continuous hypothermic perfusion with oxygenated hyperosmolar solution, orthotopic transplantation of (Wicomb et al.), 133
Benign and malignant pulmonary lesions, role of bronchoplastic procedures in surgical management of (Lowe et al.), 227
Biological glue, gelatin-resorcine-formol, in acute aortic dissection, four-year clinical experience with (Bachet et al.), 212
Bioprosthesis(es), Ionescu-Shiley, after mitral valve replacement in children, early failures of (Galioto et al.), 306
open versus closed position fixation of: comparative in vitro studies from viewpoint of durability (Imamura et al.), 610
porcine, in mitral position, inward stent-post bending of: cause of bioprosthetic dysfunction (Borkon et al.), 105
valve, cardiac, calcification of: biochemical, histologic, and ultrastructural observations in subcutaneous implantation model system (Fishbein et al.), 602
valvular, continuing improvements in (Carpentier et al.), 27
porcine, implanted, intracuspal hematomas in: clinical and experimental studies (Ishihara et al.), 399
Bioprosthetic valvular failure: clinical and pathological observations in experimental animal model (Barnhart et al.), 618
Blalock-Taussig shunt, intrapericardial (Pappas and Hawes), 422
Bleeding, gastrointestinal, and calcific aortic stenosis, syndrome of: resolution following aortic valve replacement (Love), 779
Blocker, movable, endotracheal tube with: new device for one-lung anesthesia (Inoue et al.), 940 (letter)
Blood flow, myocardial, regional, effects on, II. Encircling endocardial ventriculotomy for refractory ischemic ventricular tachycardia (Ungerleider et al.), 850
trauma during perfusion with membrane and bubble oxygenators, clinical study of (van den Dungen et al.), 108
Blunt chest trauma, acute coronary artery occlusion secondary to (Pifarré et al.), 122
Bovine pericardial valve in adolescent, accelerated calcific degeneration of (Shimon et al.), 794 (letter)

Brachial plexus injury following median sternotomy. Part II (Vander Salm et al.), 914
Bronchial carcinoma, saphenous-jugular bypass as palliative therapy of superior vena cava syndrome caused by (Vincze et al.), 272
omentopexy in canine lung transplantation (Lima et al.), 418
Bronchiectasis, current results of treatment of (Annest et al.), 546
Bronchogenic carcinoma located in aortic window: importance of primary lesion as determinant of survival (Levett et al.), 551
Bronchoplastic procedures in surgical management of benign and malignant pulmonary lesions, role of (Lowe et al.), 227
Bubble and membrane oxygenators, clinical study of blood trauma during perfusion with (van den Dungen et al.), 108
comparison of: platelet function during cardiac operation (Edmunds et al.), 805
Buffering, cardioplegic solution, and multidose cardioplegia on myocardial tissue acidosis, effect of (Tait et al.), 824
Bullet wounds of trachea (Symbas et al.), 235
Bypass, aorta-coronary, subsequent, management of evolving myocardial infarction by intracoronary thrombolysis and (Krebber et al.), 186
cardiopulmonary, compared efficacy of dobutamine and dopamine in association with calcium chloride on termination of (d'Hollander et al.), 264
and elective cardiac arrest, beneficial effects of multidose coronary artery washout during: biochemical and hemodynamic evaluation (Walls et al.), 772
hypothermic, relationship of whole body oxygen consumption to perfusion flow rate during (Fox et al.), 239
partial reconstruction of right ventricular outflow tract without (Alvarez Diaz et al.), 149 (letter)
on venous tone, effect of, II. Vasomotor dynamics associated with cardiac operations (Doty et al.), 732
coronary, prostacyclin infusion during extracorporeal circulation for (Rådegran et al.), 205
grafts, artery, coronary, aorta, and left ventricular function, new techniques for noninvasive evaluation of: computerized fluoroscopy (Myerowitz et al.), 65
saphenous vein, effect of antithrombotic therapy on patency rates of (McEnany et al.), 81
grafting, artery, coronary, increased regional myocardial perfusion after intracoronary papaverine in patients after (Goldman et al.), 563
left heart, partial, following perioperative myocardial infarction and shock, long-term survival with (Rose et al.), 483
operations, artery, coronary, technique and value of operative arteriography in (Rainer et al.), 358
saphenous-jugular, as palliative therapy of superior vena cava syndrome caused by bronchial carcinoma (Vincze et al.), 272
of superior vena cava: six years' experience with spiral vein graft for obstruction of superior vena cava due to benign and malignant disease (Doty), 326
vein grafts, artery, coronary, factors influencing early patency of: correlation of angiographic and ultrastructural findings (Catinella et al.), 686

C

Calcific aortic stenosis and gastrointestinal bleeding, syndrome of: resolution following aortic valve replacement (Love), 779
Calcification of cardiac valve bioprostheses: biochemical, histologic, and ultrastructural observations in subcutaneous implantation model system (Fishbein et al.), 602
Calcium chloride on termination of cardiopulmonary bypass, compared efficacy of dobutamine and dopamine in association with (d'Hollander et al.), 264
Canal, atrioventricular, complete, surgical management of (Mavroudis et al.), 670
Cancer, lung, in human tumor clonogenic system, growth of (Kitten et al.), 363
resectable, significance of positive superior mediastinal nodes identified at mediastinoscopy in patients with (Pearson et al.), 1
in young persons (DeCaro and Benfield), 372
Canine left ventricle determined by two-dimensional echocardiography, absence of temperature effects on end-diastolic pressure-volume relations in (Haasler et al.), 878
lung transplantation, bronchial omentopexy in (Lima et al.), 418
Carcinoma, bronchial, saphenous-jugular bypass as palliative therapy of superior vena cava syndrome caused by (Vincze et al.), 272
bronchogenic, located in aortic window: importance of primary lesion as determinant of survival (Levett et al.), 551
of lung, small cell, Phase II trial of extended indications for resection in (Meyer et al.), 12
Cardiac arrest, elective, and cardiopulmonary bypass, beneficial effects of multidose coronary artery washout during (Walls et al.), 772
intra-, teratoma, successful excision of (Maeta et al.), 909
operation(s) in infants and children, atypical tamponade after (Shore et al.), 449
platelet function during: comparison of membrane and bubble oxygenators (Edmunds et al.), 805
results of ascending aortic dissections occurring late after (Orszulak et al.), 538
two-dimensional ultrasound and (Spotnitz), 43
vasomotor dynamics associated with. I. Venous tone and effects of vasodilators (Gall et al.), 724
II. Effect of cardiopulmonary bypass on venous tone (Doty et al.), 732
verapamil therapy of atrial fibrillation and atrial flutter following (Plumb et al.), 590
transplantation in perspective for future: survival, complications, rehabilitation, and cost (Pennock et al.), 168
sternal infection after: successful salvage utilizing variety of techniques (Pearl et al.), 632
tumors, primary: experience with 25 cases (Larrieu et al.), 339
valve bioprostheses, calcification of: biochemical, histologic, and ultrastructural observations in subcutaneous implantation model system (Fishbein et al.), 602
replacement, xenograft, porcine, factors affecting performance and thromboembolism after (Geha et al.), 377
Cardioplegia, hypothermic, to protect globally ischemic, reperfused heart, superoxide dismutase plus catalase enhances efficacy of (Shlafer et al.), 830
multidose, and cardioplegic solution buffering on myocardial tissue acidosis, effect of (Tait et al.), 824
Cardioplegic arrest, potassium, hypothermic, temperature dependence of recovery of metabolic function following (Rousou et al.), 117
delivery with coronary stenosis (Borst), 637 (letter); Reply (Buckberg), 637

Cardioplegic—Cont'd
infusion: safe limits of pressure and temperature (Johnson et al.), 813
solution(s) buffering and multidose cardioplegia on myocardial tissue acidosis, effect of (Tait et al.), 824
improved myocardial preservation by improved distribution of (Vander Salm et al.), 767
sodium concentrations in (Dorsey), 635 (letter); Reply (Jellinek and Barner), 636; Reply (Ellis), 637
Cardiopulmonary bypass. *See* Bypass
perfusionists, 811, results of survey of professional activities of (Miller et al.), 385
Cardiovascular perfusionists, training and certification of (Clark and Magovern), 324 (edit.)
Catalase plus superoxide dismutase enhances efficacy of hypothermic cardioplegia to protect globally ischemic, reperfused heart (Shlafer et al.), 830
Catheter-induced pulmonary artery hemorrhage (Lee et al.), 796 (letter); Reply (Barash and Hammond), 797
Cava-pulmonary (Glenn) anastomosis in palliative treatment of congenital heart disease, role of (di Carlo et al.), 437
Cerebral impairment, effect of lower perfusion pressures on (Kayser), 796 (letter); Reply (Ellis), 796
Certification and training of cardiovascular perfusionists (Clark and Magovern), 324 (edit.)
Chest injuries, review of 966 cases, I. Impact of speed limit (Alyono and Perry), 519
trauma, blunt, acute coronary artery occlusion secondary to (Pifarré et al.), 122
Children, early failures of Ionescu-Shiley bioprosthesis after mitral valve replacement in (Galioto et al.), 306
esophageal replacement with jejunum in: 18 to 33 year follow-up (Ring et al.), 918
and infants, atypical tamponade after cardiac operation in (Shore et al.), 449
changing spectrum of pulmonary operations in (Campbell and Lilly), 680
mitral valve replacement in (Human et al.), 873
with and without muscular infundibular hypertrophy: pulmonary valvulotomy alone for pulmonary stenosis (Griffith et al.), 577
preoperative and early postoperative assessment in: sinus and atrioventricular nodal function (Wolff et al.), 141
thoracoscopic evaluation of intrathoracic lesions in (Janik et al.), 408
valve replacement in: fifteen-year perspective (Gardner et al.), 178
Circulation, extracorporeal, for coronary bypass, prostacyclin infusion during (Rådegran et al.), 205
establishment of right ventricle–hypoplastic pulmonary artery continuity without use of (Puga and Uretzky), 74
Clonogenic system, tumor, human, growth of lung cancer in (Kitten et al.), 363
Coarctation, aortic, in infants, determinants of early success in repair of (Bergdahl et al.), 736
Complete atrioventricular canal, surgical management of (Mavroudis et al.), 670
defects, postoperative pathology of (Thiene et al.), 891
Computed tomography, contrast-enhanced, assessment of saphenous vein graft patency by (Ullyot et al.), 512
Computerized fluoroscopy: new technique for noninvasive evaluation of aorta, coronary artery bypass grafts, and left ventricular function (Myerowitz et al.), 65
Conduit(s), extracardiac, porcine-valved, right-sided, pathogenesis of nonobstructive fibrous peels in (Agarwal et al.), 584
Hancock, after Fontan operation, severe fibrotic obstruction of (Agarwal et al.), 791 (letter)
nonvalved, correction of truncus arteriosus in neonate using (Peetz et al.), 743
Congenital funnel-shaped tracheal stenosis: asymptomatic lethal anomaly of early infancy (Janik et al.), 761
heart disease, role of cava-pulmonary (Glenn) anastomosis in palliative treatment of (di Carlo et al.), 437
Constrictive epicarditis as cause of delayed or absent response to pericardiectomy: clinicopathological study (Walsh et al.), 126
Consumption, oxygen, whole body, to perfusion flow rate during hypothermic cardiopulmonary bypass, relationship of (Fox et al.), 239
Continuity, right ventricle–hypoplastic pulmonary artery, without use of extracorporeal circulation, establishment of (Puga and Uretzky), 74
Contracture, ischemic, of left ventricle, sonomicrometric determination of (Van Trigt et al.), 298
Coronary artery bypass grafts, aorta, and left ventricular function, new technique for noninvasive evaluation of: computerized fluoroscopy (Myerowitz et al.), 65
saphenous vein, effect of antithrombotic therapy on patency rates of (McEnany et al.), 81
grafting, increased regional myocardial perfusion after intracoronary papaverine in patients after (Goldman et al.), 563
operations, technique and value of operative arteriography in (Rainer et al.), 358
vein grafts, factors influencing early patency of: correlation of angiographic and ultrastructural findings (Catinella et al.), 686
occlusion, acute, secondary to blunt chest trauma (Pifarré et al.), 122
vein grafts, aorta–, drug trials in prevention of occlusion of (Chesebro and Fuster), 90 (edit.)
washout, multidose, during elective cardiac arrest and cardiopulmonary bypass, beneficial effects of: biochemical and hemodynamic evaluation (Walls et al.), 772
bypass, aorta-, subsequent, management of evolving myocardial infarction by intracoronary thrombolysis and (Krebber et al.), 186
prostacyclin infusion during extracorporeal circulation for (Rådegran et al.), 205
flow, impeded, in anatomic correction of transposition of great arteries: prevention, detection, and management (Goor et al.), 747
relocation for complete transposition of great vessels with ventricular septal defect, arterial repair without: report of case (Damus et al.), 316
stenosis, cardioplegic delivery with (Borst), 637 (letter); Reply (Buckberg), 637
veins, modification of myocardial ischemia in normal and hypertrophied hearts utilizing diastolic retroperfusion of (Gundry et al., 659
Correction, anatomic, of transposition of great arteries (Jatene et al.), 20
impeded coronary flow in: prevention, detection, and management (Goor et al.), 747
of Taussig-Bing anomaly, new technique for (Smith et al.), 901
of truncus arteriosus in neonate using nonvalved conduit (Peetz et al.), 743

Correspondence
Accelerated calcific degeneration of bovine pericardial valve in adolescent (Shimon et al.), 794
Anesthesia for myocardial revascularization (Lell et al.), 795
Reply (Wilkinson), 795
Cardioplegic delivery with coronary stenosis (Borst), 637
Reply (Buckberg), 637
Case for randomizing surgical therapy (Spodick), 150
Reply (Berg), 150
Catheter-induced pulmonary artery hemorrhage (Lee et al.), 796
Reply (Barash and Hammond), 797
Effect of lower perfusion pressures on cerebral impairment (Kayser), 796
Reply (Ellis), 796
Fatal thrombosis of aortic St. Jude Medical valve despite "adequate" anticoagulation: anatomic and technical considerations (Moulton et al.), 472
Fracture of prosthetic tricuspid annular ring (Kay and Hammond), 635
Myxoma of pulmonary valve causing severe pulmonic stenosis in infancy (Yakirevich et al.), 936
New device for one-lung anesthesia: endotracheal tube with movable blocker (Inoue et al.), 940
Partial reconstruction of right ventricular outflow tract without cardiopulmonary bypass (Alvarez Diaz et al.), 149
Periprosthetic leak mimicking entrapment of leaflet in St. Jude Medical mitral valve prosthesis: case report (Gutierrez et al.), 471
Reconstruction of new atrial septum in Senning operation (Eufrate and Luisi), 638
Reply (Subramanian), 638
Repair of refractory sternal dehiscence: new technique (Del Campo and Heimbecker), 937
Rupture of syphilitic aneurysm of ascending aorta into main pulmonary artery: successful emergency repair (Panday et al.), 470
Severe fibrotic obstruction of Hancock conduit after Fontan operation (Agarwal et al.), 791
Sodium concentrations in cardioplegic solutions (Dorsey), 635
Reply (Jellinek and Barner), 636
Reply (Ellis), 637
Technical hint to correct loose anastomoses (Grondin et al.), 939
Traumatic tracheoesophageal fistula (Martyn), 790
Cryotherapy, profound, upon pulmonary parenchyma, effects of (Rodgers et al.), 784

D

Defect(s), atrioventricular, complete, postoperative pathology of (Thiene et al.), 891
diaphragmatic, glutaraldehyde-preserved heterologous pericardium for repair of: experimental study (Gallo et al.), 905
septal, atrioventricular, left-sided obstructive lesions in: anatomic study (Piccoli et al.), 453
What's in a name (Becker and Anderson), 461 (edit.)
ventricular, abnormalities of tricuspid valve in complete transposition of great arteries with (Huhta et al.), 569
arterial repair without coronary relocation for complete transposition of great vessels with: report of case (Damus et al.), 316
and hypoplastic right (systemic) ventricle: palliative repair of transposition of great arteries with criss-cross heart (Dunn et al.), 755
Degeneration, calcific, accelerated, of bovine pericardial valve in adolescent (Shimon et al.), 794 (letter)
Dehiscence, sternal, refractory, repair of: new technique (Del Campo and Heimbecker), 937 (letter)
Device, new, for one-lung anesthesia: endotracheal tube with movable blocker (Inoue et al.), 940 (letter)
Diaphragm, prosthetic replacement of entire left hemidiaphragm in malignant fibrous histiocytoma of (Tanaka et al.), 278
Diaphragmatic defects, glutaraldehyde-preserved heterologous pericardium for repair of: experimental study (Gallo et al.), 905
Disease, benign and malignant, six years' experience with spiral vein graft for obstruction of superior vena cava due to: bypass of superior vena cava (Doty), 326
heart, congenital, role of cava-pulmonary (Glenn) anastomosis in palliative treatment of (di Carlo et al.), 437
Dissecting aneurysms, improved results for: intraluminal sutureless prosthesis (Lemole et al.), 249
Dissection(s), aortic, acute, four-year clinical experience with gelatin-resorcine-formol biological glue in (Bachet et al.), 212
ascending, occurring late after cardiac operation, results of (Orszulak et al.), 538
Dobutamine and dopamine in association with calcium chloride on termination of cardiopulmonary bypass, compared efficacy of (d'Hollander et al.), 264
in postoperative volume-loaded, pressure-loaded, and normal ventricle, hemodynamic comparison of (DiSesa et al.), 256
Dopamine and dobutamine in association with calcium chloride on termination of cardiopulmonary bypass, compared efficacy of (d'Hollander et al.), 264
in postoperative volume-loaded, pressure-loaded, and normal ventricle, hemodynamic comparison of (DiSesa et al.), 256
Drug trials in prevention of occlusion of aorta–coronary artery vein grafts (Chesebro and Fuster), 90 (edit.)
Ductus arteriosus, patent, surgical and medical experience with 734 premature infants with (Mikhail et al.), 349
Durability, comparative in vitro studies from viewpoint of: open versus closed position fixation of bioprosthesis (Imamura et al.), 610
Dynamics, vasomotor, associated with cardiac operations. I. Venous tone and effects of vasodilators (Gall et al.), 724
II. Effect of cardiopulmonary bypass on venous tone (Doty et al.), 732
Dysfunction, bioprosthetic, cause of: inward stent-post bending of porcine bioprosthesis in mitral position (Borkon et al.), 105

E

Echocardiography, two-dimensional, absence of temperature effects on end-diastolic pressure-volume relations in canine left ventricle determined by (Haasler et al.), 878
Editorial: Atrioventricular septal defects: What's in a name (Becker and Anderson), 461
Drug trials in prevention of occlusion of aorta–coronary artery vein grafts (Chesebro and Fuster), 90
Training and certification of cardiovascular perfusionists (Clark and Magovern), 324
Electrophysiological effects, I. Encircling endocardial ventriculotomy for refractory ischemic ventricular tachycardia (Ungerleider et al.), 840

End-diastolic pressure-volume relations in canine left ventricle determined by two-dimensional echocardiography, absence of temperature effects on (Haasler et al.), 878
Endobronchial anesthesia, changes in arterial oxygenation and pulmonary shunt during thoracotomy with (Fiser et al.), 523
Endocardial ventriculotomy, encircling, for refractory ischemic ventricular tachycardia. I. Electrophysiological effects (Ungerleider et al.), 840
II. Effects on regional myocardial blood flow (Ungerleider et al.), 850
III. Effects on regional left ventricular function (Ungerleider et al.), 857
IV. Clinical indications, surgical technique, mechanism of action, and results (Cox et al.), 865
Endomyocardial fibrosis: early and late results of surgery in 20 patients (Metras et al.), 52
Endotracheal tube with movable blocker: new device for one-lung anesthesia (Inoue et al.), 940 (letter)
Epicarditis, constrictive, as cause of delayed or absent response to pericardiectomy: clinicopathological study (Walsh et al.), 126
Errata, 941
Esophageal replacement with jejunum in children: 18 to 33 year follow-up (Ring et al.), 918
technique of jejunal interposition for (Foker et al.), 928 (curr. tech.)
Excision, successful, of intracardiac teratoma (Maeta et al.), 909
Extracardiac conduits, porcine-valved, right-sided, pathogenesis of nonobstructive fibrous peels in (Agarwal et al.), 584
Extracorporeal circulation for coronary bypass, prostacyclin infusion during (Rådegran et al.), 205
establishment of right ventricle–hypoplastic pulmonary artery continuity without use of (Puga and Uretzky), 74

F

Failing left ventricle, clinical results of mechanical support of (Golding et al.), 597
Failure(s), early, of Ionescu-Shiley bioprosthesis after mitral valve replacement in children (Galioto et al.), 306
valvular, bioprosthetic: clinical and pathological observations in experimental animal model (Barnhart et al.), 618
Fallot, tetralogy of, pulmonary vascular morphology in shunted and nonshunted patients with (Shapira et al.), 650
Fibrillation, atrial, and atrial flutter following cardiac operation, verapamil therapy of (Plumb et al.), 590
Fibrosis, endomyocardial: early and late results of surgery in 20 patients (Metras et al.), 52
Fibrous peels, nonobstructive, in right-sided porcine-valved extracardiac conduits, pathogenesis of (Agarwal et al.), 584
Fistula, tracheoesophageal, traumatic (Martyn), 790 (letter)
Fixation, open versus closed position, of bioprosthesis: comparative in vitro studies from viewpoint of durability (Imamura et al.), 610
Flow, coronary, impeded, in anatomic correction of transposition of great arteries: prevention, detection, and management (Goor et al.), 747
rate, perfusion, to whole body oxygen consumption during hypothermic cardiopulmonary bypass, relationship of (Fox et al.), 239
Fluoroscopy, computerized: new technique for noninvasive evaluation of aorta, coronary artery bypass grafts, and left ventricular function (Myerowitz et al.), 65
Flutter, atrial, and atrial fibrillation following cardiac operation, verapamil therapy of (Plumb et al.), 590
Fontan operation, severe fibrotic obstruction of Hancock conduit after (Agarwal et al.), 791 (letter)
Fracture, first rib, undergo arteriography, should all patients with (Lazrove et al.), 532
of prosthetic tricuspid annular ring (Kay and Hammond), 635 (letter)
Function, left ventricular, aorta, and coronary artery bypass grafts, new techniques for noninvasive evaluation of: computerized fluoroscopy (Myerowitz et al.), 65
regional, effects on, III. Encircling endocardial ventriculotomy for refractory ischemic ventricular tachycardia (Ungerleider et al.), 857
metabolic, following hypothermic potassium cardioplegic arrest, temperature dependence of recovery of (Rousou et al.), 117
nodal, sinus and atrioventricular: preoperative and early postoperative assessment in children (Wolff et al.), 141
platelet, during cardiac operation: comparison of membrane and bubble oxygenators (Edmunds et al.), 805
subcellular, myocardial, after 24 hours of in vitro preservation and transplantation, assessment of (Warner et al.), 290
Fungal infections, pulmonary: survey of 159 cases with surgical implications (Newsom and Hardy), 218

G

Gastrointestinal bleeding and calcific aortic stenosis, syndrome of: resolution following aortic valve replacement (Love), 779
Gelatin-resorcine-formol biological glue in acute aortic dissection, four-year clinical experience with (Bachet et al.), 212
Germ cell tumors, primary, of mediastinum, management of (Economou et al.), 643
Glenn (cava-pulmonary) anastomosis in palliative treatment of congenital heart disease, role of (di Carlo et al.), 437
Glue, biological, gelatin-resorcine-formol, in acute aortic dissection, four-year clinical experience with (Bachet et al.), 212
Glutaraldehyde-preserved heterologous pericardium for repair of diaphragmatic defects: experimental study (Gallo et al.), 905
porcine xenografts, twelve-year experience with (Angell et al.), 493
Graft(s), bypass, artery, coronary, aorta, and left ventricular function, new techniques for noninvasive evaluation of: computerized fluoroscopy (Myerowitz et al.), 65
saphenous vein, effect of antithrombotic therapy on patency rates of (McEnany et al.), 81
patency, postoperative work status, and symptomatic relief, relationship between (Jensen et al.), 503
vein, saphenous, by contrast-enhanced computed tomography, assessment of (Ullyot et al.), 512
vein, aorta–coronary artery, drug trials in prevention of occlusion of (Chesebro and Fuster), 90 (edit.)
bypass, artery, coronary, factors influencing early patency of: correlation of angiographic and ultrastructural findings (Catinella et al.), 686

Graft(s), bypass—Cont'd
spiral, for obstruction of superior vena cava due to benign and malignant disease, six years' experience with: bypass of superior vena cava (Doty), 326
Grafting, bypass, artery, coronary, increased regional myocardial perfusion after intracoronary papaverine in patients after (Goldman et al.), 563

H

Hancock conduit after Fontan operation, severe fibrotic obstruction of (Agarwal et al.), 791 (letter)
mitral valve replacement, risk-benefit analysis of warfarin therapy in (Hill et al.), 718
Heart(s), baboon, after 20 to 24 hours' preservation by continuous hypothermic perfusion with oxygenated hyperosmolar solution, orthotopic transplantation of (Wicomb et al.), 133
bypass, left, partial, following perioperative myocardial infarction and shock, long-term survival with (Rose et al.), 483
criss-cross, palliative repair of transposition of great arteries with: ventricular septal defect and hypoplastic right (systemic) ventricle (Dunn et al.), 755
disease, congenital, role of cava-pulmonary (Glenn) anastomosis in palliative treatment of (di Carlo et al.), 437
normal and hypertrophied, utilizing diastolic retroperfusion of coronary veins, modification of myocardial ischemia in (Gundry et al.), 659
rat, working, isolated, ribose-enhanced myocardial recovery following ischemia in (Pasque et al.), 390
reperfused, globally ischemic, superoxide dismutase plus catalase enhances efficacy of hypothermic cardioplegia to protect (Shlafer et al.), 830
Hematomas, intracuspal, in implanted porcine valvular bioprostheses: clinical and experimental studies (Ishihara et al.), 399
Hemidiaphragm, left, entire, in malignant fibrous histiocytoma of diaphragm, prosthetic replacement of (Tanaka et al.), 278
Hemodynamic comparison of dopamine and dobutamine in postoperative volume-loaded, pressure-loaded, and normal ventricle (DiSesa et al.), 256
effect of myocardial revascularization in impaired ventricle (Cukingnan et al.), 711
Hemorrhage, artery, pulmonary, catheter-induced (Lee et al.), 796 (letter); Reply (Barash and Hammond), 797
Hemorrhagic telangiectasia, hereditary, staged bilateral thoracotomies for multiple pulmonary arteriovenous malformations complicating (Brown et al.), 285
Hereditary hemorrhagic telangiectasia, staged bilateral thoracotomies for multiple pulmonary arteriovenous malformations complicating (Brown et al.), 285
Histiocytoma, fibrous, malignant, of diaphragm, prosthetic replacement of entire left hemidiaphragm in (Tanaka et al.), 278
Hyperosmolar solution, oxygenated, orthotopic transplantation of baboon heart after 20 to 24 hours' preservation by continuous hypothermic perfusion with (Wicomb et al.), 133
Hypertrophied and normal hearts utilizing diastolic retroperfusion of coronary veins, modification of myocardial ischemia in (Gundry et al.), 659
Hypertrophy, infundibular, muscular, results in children with and without: pulmonary valvulotomy alone for pulmonary stenosis (Griffith et al.), 577
Hypoplastic pulmonary artery continuity, right ventricle–, without use of extracorporeal circulation, establishment of (Puga and Uretzky), 74
right (systemic) ventricle and ventricular septal defect: palliative repair of transposition of great arteries with criss-cross heart (Dunn et al.), 755
Hypothermic cardioplegia to protect globally ischemic, reperfused heart, superoxide dismutase plus catalase enhances efficacy of (Shlafer et al.), 830
cardiopulmonary bypass, relationship of whole body oxygen consumption to perfusion flow rate during (Fox et al.), 239
perfusion, continuous, with oxygenated hyperosmolar solution, orthotopic transplantation of baboon heart after 20 to 24 hours' preservation by (Wicomb et al.), 133
potassium cardioplegic arrest, temperature dependence of recovery of metabolic function following (Rousou et al.), 117

I

Impairment, cerebral, effect of lower perfusion pressures on (Kayser), 796 (letter); Reply (Ellis), 796
Infancy, early, asymptomatic lethal anomaly of: congenital funnel-shaped tracheal stenosis (Janik et al.), 761
myxoma of pulmonary valve causing severe pulmonic stenosis in (Yakirevich et al.), 936 (letter)
Infants and children, atypical tamponade after cardiac operation in (Shore et al.), 449
changing spectrum of pulmonary operations in (Campbell and Lilly), 680
determinants of early success in repair of aortic coarctation in (Bergdahl et al.), 736
premature, 734, with patent ductus arteriosus, surgical and medical experience with (Mikhail et al.), 349
Infarction, myocardial, evolving, by intracoronary thrombolysis and subsequent aorta-coronary bypass, management of (Krebber et al.), 186
and shock, perioperative, long-term survival with partial left heart bypass following (Rose et al.), 483
Infection(s), fungal, pulmonary: survey of 159 cases with surgical implications (Newsom and Hardy), 218
sternal, after cardiac transplantation: successful salvage utilizing variety of techniques (Pearl et al.), 632
Infundibular hypertrophy, muscular, results in children with and without: pulmonary valvulotomy alone for pulmonary stenosis (Griffith et al.), 577
Infusion, cardioplegic: safe limits of pressure and temperature (Johnson et al.), 813
prostacyclin, during extracorporeal circulation for coronary bypass (Rådegran et al.), 205
Ingestion, lye: clinical patterns and therapeutic implications (Oakes et al.), 194
Injury(ies), brachial plexus, following median sternotomy. Part II (Vander Salm et al.), 914
chest, review of 966 cases, I. Impact of speed limit (Alyono and Perry), 519
Interposition, jejunal, for esophageal replacement, technique of (Foker et al.), 928 (curr. tech.)
Intracardiac teratoma, successful excision of (Maeta et al.), 909

Intracuspal hematomas in implanted porcine valvular bioprostheses: clinical and experimental studies (Ishihara et al.), 399
Intraluminal sutureless prosthesis: improved results for dissecting aneurysms (Lemole et al.), 249
Intrapericardial Blalock-Taussig shunt (Pappas and Hawes), 422
Intrathoracic lesions in children, thoracoscopic evaluation of (Janik et al.), 408
Ionescu-Shiley bioprosthesis after mitral valve replacement in children, early failures of (Galioto et al.), 306
Ischemia in isolated working rat heart, ribose-enhanced myocardial recovery following (Pasque et al.), 390
myocardial, in normal and hypertrophied hearts utilizing diastolic retroperfusion of coronary veins, modification of (Gundry et al.), 659
Ischemic contracture of left ventricle, sonomicrometric determination of (Van Trigt et al.), 298
globally, reperfused heart, superoxide dismutase plus catalase enhances efficacy to hypothermic cardioplegia to protect (Shlafer et al.), 830
ventricular tachycardia, refractory, encircling endocardial ventriculotomy for. I. Electrophysiological effects (Ungerleider et al.), 840
II. Effects on regional myocardial blood flow (Ungerleider et al.), 850
III. Effects on regional left ventricular function (Ungerleider et al.), 857
IV. Clinical indications, surgical technique, mechanism of action, and results (Cox et al.), 865

J

Jejunal interposition for esophageal replacement, technique of (Foker et al.), 928 (curr. tech.)
Jejunum in children, esophageal replacement with: 18 to 33 year follow-up (Ring et al.), 918

L

Leaflet in St. Jude Medical mitral valve prosthesis, periprosthetic leak mimicking entrapment of: case report (Gutierrez et al.), 471 (letter)
Leak, periprosthetic, mimicking entrapment of leaflet in St. Jude Medical mitral valve prosthesis: case report (Gutierrez et al.), 471 (letter)
Lesions, intrathoracic, in children, thoracoscopic evaluation of (Janik et al.), 408
metastatic, results of pulmonary resection for (Wright et al.), 94
obstructive, left-sided, in atrioventricular septal defects: anatomic study (Piccoli et al.), 453
pulmonary, benign and malignant, role of bronchoplastic procedures in surgical management of (Lowe et al.), 227
Ligamentum arteriosum, right, left cervical aortic arch, and right descending aorta: vascular ring (Whitman et al.), 311
Limit, speed, impact of. I. Chest injuries, review of 966 cases (Alyono and Perry), 519
Lung cancer in human tumor clonogenic system, growth of (Kitten et al.), 363
resectable, significance of positive superior mediastinal nodes identified at mediastinoscopy in patients with (Pearson et al.), 1
in young persons (DeCaro and Benfield), 372
carcinoma of, small cell, Phase II trial of extended indications for resection in (Meyer et al.), 12
Lung—Cont'd
transplantation, canine, bronchial omentopexy in (Lima et al.), 418
Lye ingestion: clinical patterns and therapeutic implications (Oakes et al.), 194

M

Malformations, arteriovenous, pulmonary, multiple, complicating hereditary hemorrhagic telangiectasia, staged bilateral thoracotomies for (Brown et al.), 285
Malignant and benign disease, six years' experience with spiral vein graft for obstruction of superior vena cava due to: bypass of superior vena cava (Doty), 326
pulmonary lesions, role of bronchoplastic procedures in surgical management of (Lowe et al.), 227
fibrous histiocytoma of diaphragm, prosthetic replacement of entire left hemidiaphragm in (Tanaka et al.), 278
Mechanical support of failing left ventricle, clinical results of (Golding et al.), 597
Mediastinal nodes, superior, positive, identified at mediastinoscopy in patients with resectable cancer of lung, significance of (Pearson et al.), 1
Mediastinoscopy in patients with resectable cancer of lung, significance of positive superior mediastinal nodes identified at (Pearson et al.), 1
Mediastinum, management of primary germ cell tumors of (Economou et al.), 643
Membrane and bubble oxygenators, clinical study of blood trauma during perfusion with (van den Dungen et al.), 108
comparison of: platelet function during cardiac operation (Edmunds et al.), 805
Metabolic function following hypothermic potassium cardioplegic arrest, temperature dependence of recovery of (Rousou et al.), 117
Metastatic lesions, results of pulmonary resection for (Wright et al.), 94
Mitral position, inward stent-post bending of porcine bioprosthesis in: cause of bioprosthetic dysfunction (Borkon et al.), 105
valve prosthesis, St. Jude Medical, periprosthetic leak mimicking entrapment of leaflet in: case report (Gutierrez et al.), 471 (letter)
replacement in children (Human et al.), 873
early failures of Ionescu-Shiley bioprosthesis after (Galioto et al.), 306
Hancock, risk-benefit analysis of warfarin therapy in (Hill et al.), 718
Morphology, vascular, pulmonary, in shunted and nonshunted patients with tetralogy of Fallot (Shapira et al.), 650
Muscular infundibular hypertrophy, results in children with and without: pulmonary valvulotomy alone for pulmonary stenosis (Griffith et al.), 577
Myocardial blood flow, regional, effects on, II. Encircling endocardial ventriculotomy for refractory ischemic ventricular tachycardia (Ungerleider et al.), 850
infarction, evolving, by intracoronary thrombolysis and subsequent aorta-coronary bypass, management of (Krebber et al.), 186
and shock, perioperative, long-term survival with partial left heart bypass following (Rose et al.), 483
ischemia in normal and hypertrophied hearts utilizing diastolic retroperfusion of coronary veins, modification of (Gundry et al.), 659

Myocardial—Cont'd
perfusion, regional, increased, after intracoronary papaverine in patients after coronary artery bypass grafting (Goldman et al.), 563
preservation, improved, by improved distribution of cardioplegic solutions (Vander Salm et al.), 767
recovery, ribose-enhanced, following ischemia in isolated working rat heart (Pasque et al.), 390
revascularization, anesthesia for (Lell et al.), 795 (letter); Reply (Wilkinson), 795
in impaired ventricle, hemodynamic effect of (Cukingnan et al.), 711
subcellular function after 24 hours of in vitro preservation and transplantation, assessment of (Warner et al.), 290
tissue acidosis, effect of multidose cardioplegia and cardioplegic solution buffering on (Tait et al.), 824
Myxoma of pulmonary valve causing severe pulmonic stenosis in infancy (Yakirevich et al.), 936 (letter)

N

Neonate using nonvalved conduit, correction of truncus arteriosus in (Peetz et al.), 743
Nodal function, sinus and atrioventricular: preoperative and early postoperative assessment in children (Wolff et al.), 141
Nodes, mediastinal, superior, positive, identified at mediastinoscopy in patients with resectable cancer of lung, significance of (Pearson et al.), 1
Nonvalved conduit, correction of truncus arteriosus in neonate using (Peetz et al.), 743

O

Obituary: Paul C. Samson (1905-1982), 934
Obstruction, fibrotic, severe, of Hancock conduit after Fontan operation (Agarwal et al.), 791 (letter)
of superior vena cava due to benign and malignant disease, six years' experience with spiral vein graft for: bypass of superior vena cava (Doty), 326
tracheobronchial, bifurcated silicone rubber stent for relief of (Westaby et al.), 414
Obstructive lesions, left-sided, in atrioventricular septal defects: anatomic study (Piccoli et al.), 453
Occlusion of aorta–coronary artery vein grafts, drug trials in prevention of (Chesebro and Fuster), 90 (edit.)
artery, coronary, acute, secondary to blunt chest trauma (Pifarré et al.), 122
Omentopexy, bronchial, in canine lung transplantation (Lima et al.), 418
Open versus closed position fixation of bioprosthesis: comparative in vitro studies from viewpoint of durability (Imamura et al.), 610
Operation(s), cardiac, two-dimensional ultrasound and (Spotnitz), 43
Fontan, severe fibrotic obstruction of Hancock conduit after (Agarwal et al.), 791 (letter)
pulmonary, in infants and children, changing spectrum of (Campbell and Lilly), 680
Senning, reconstruction of new atrial septum in (Eufrate and Luisi), 638 (letter); Reply (Subramanian), 638
Orthotopic transplantation of baboon heart after 20 to 24 hours' preservation by continuous hypothermic perfusion with oxygenated hyperosmolar solution (Wicomb et al.), 133
Outflow tract, right ventricular, without cardiopulmonary bypass, partial reconstruction of (Alvarez Diaz et al.), 149 (letter)
Oxygen consumption, whole body, to perfusion flow rate during hypothermic cardiopulmonary bypass, relationship of (Fox et al.), 239
Oxygenated hyperosmolar solution, orthotopic transplantation of baboon heart after 20 to 24 hours' preservation by continuous hypothermic perfusion with (Wicomb et al.), 133
Oxygenation, arterial, and pulmonary shunt during thoracotomy with endobronchial anesthesia, changes in (Fiser et al.), 523
Oxygenators, membrane and bubble, clinical study of blood trauma during perfusion with (van den Dungen et al.), 108
comparison of: platelet function during cardiac operation (Edmunds et al.), 805

P

Palliative treatment of congenital heart disease, role of cava-pulmonary (Glenn) anastomosis in (di Carlo et al.), 437
Papaverine, intracoronary, in patients after coronary artery bypass grafting, increased regional myocardial perfusion after (Goldman et al.), 563
Parenchyma, pulmonary, effects of profound cryotherapy upon (Rodgers et al.), 784
Patency, early, of coronary artery bypass vein grafts, factors influencing: correlation of angiographic and ultrastructural findings (Catinella et al.), 686
graft, postoperative work status, and symptomatic relief, relationship between (Jensen et al.), 503
saphenous vein, by contrast-enhanced computed tomography, assessment of (Ullyot et al.), 512
rates of saphenous vein coronary artery bypass grafts, effect of antithrombotic therapy on (McEnany et al.), 81
Patent ductus arteriosus, surgical and medical experience with 734 premature infants with (Mikhail et al.), 349
Pathology, postoperative, of complete atrioventricular defects (Thiene et al.), 891
Peels, fibrous, nonobstructive, in right-sided porcine-valved extracardiac conduits, pathogenesis of (Agarwal et al.), 584
Perfusion flow rate to whole body oxygen consumption during hypothermic cardiopulmonary bypass, relationship of (Fox et al.), 239
hypothermic, continuous, with oxygenated hyperosmolar solution, orthotopic transplantation of baboon heart after 20 to 24 hours' preservation by (Wicomb et al.), 133
with membrane and bubble oxygenators, clinical study of blood trauma during (van den Dungen et al.), 108
myocardial, regional, increased, after intracoronary papaverine in patients after coronary artery bypass grafting (Goldman et al.), 563
pressures, lower, on cerebral impairment, effect of (Kayser), 796 (letter); Reply (Ellis), 796
Perfusionists, cardiopulmonary, 811, results of survey of professional activities of (Miller et al.), 385
cardiovascular, training and certification of (Clark and Magovern), 324 (edit.)
Pericardial, intra-, shunt, Blalock-Taussig (Pappas and Hawes), 422
valve, bovine, in adolescent, accelerated calcific degeneration of (Shimon et al.), 794 (letter)
Pericardiectomy, constrictive epicarditis as cause of delayed or absent response to: clinicopathological study (Walsh et al.), 126
Pericardium, heterologous, glutaraldehyde-preserved, for repair of diaphragmatic defects: experimental study (Gallo et al.), 905

Periprosthetic leak mimicking entrapment of leaflet in St. Jude Medical mitral valve prosthesis: case report (Gutierrez et al.), 471 (letter)
Phase II trial of extended indications for resection in small cell carcinoma of lung (Meyer et al.), 12
Platelet function during cardiac operation: comparison of membrane and bubble oxygenators (Edmunds et al.), 805
Plexus, brachial, injury following median sternotomy. Part II (Vander Salm et al.), 914
Pneumothorax, spontaneous, associated with tuberous sclerosis (Babcock and [illegible]der), 100
Porcine bioprosthesis in mitral position, inward stent-post bending of: cause of bioprosthetic dysfunction (Borkon et al.), 105
valved extracardiac conduits, right-sided, pathogenesis of nonobstructive fibrous peels in (Agarwal et al.), 584
valvular bioprostheses, implanted, intracuspal hematomas in: clinical and experimental studies (Ishihara et al.), 399
xenograft(s) cardiac valve replacement, factors affecting performance and thromboembolism after (Geha et al.), 377
glutaraldehyde-preserved, twelve-year experience with (Angell et al.), 493
Potassium cardioplegic arrest, hypothermic, temperature dependence of recovery of metabolic function following (Rousou et al.), 117
Premature infants, 734, with patent ductus arteriosus, surgical and medical experience with (Mikhail et al.), 349
Preservation, myocardial, improved, by improved distribution of cardioplegic solutions (Vander Salm et al.), 767
20 to 24 hours', by continuous hypothermic perfusion with oxygenated hyperosmolar solution, orthotopic transplantation of baboon heart after (Wicomb et al.), 133
in vitro, and transplantation, assessment of myocardial subcellular function after 24 hours of (Warner et al.), 290
Presidential Address: Overview of thirty years of thoracic surgery (Meyer), 163
Pressure(s)-loaded, volume-loaded, and normal ventricle, postoperative, hemodynamic comparison of dopamine and dobutamine in (DiSesa et al.), 256
perfusion, lower, on cerebral impairment, effect of (Kayser), 796 (letter); Reply (Ellis), 796
and temperature, safe limits of: cardioplegic infusion (Johnson et al.), 813
-volume relations, end-diastolic, in canine left ventricle determined by two-dimensional echocardiography, absence of temperature effects on (Haasler et al.), 878
Primary cardiac tumors: experience with 25 cases (Larrieu et al.), 339
germ cell tumors of mediastinum, management of (Economou et al.), 643
lesion as determinant of survival, importance of: bronchogenic carcinoma located in aortic window (Levett et al.), 551
Professional activities of 811 cardiopulmonary perfusionists, results of survey of (Miller et al.), 385
Prostacyclin infusion during extracorporeal circulation for coronary bypass (Rådegran et al.), 205
Prosthesis, sutureless, intraluminal: improved results for dissecting aneurysms (Lemole et al.), 249
valve, mitral, St. Jude Medical, periprosthetic leak mimicking entrapment of leaflet in: case report (Gutierrez et al.), 471 (letter)
Prosthetic replacement of entire left hemidiaphragm in malignant fibrous histiocytoma of diaphragm (Tanaka et al.), 278
tricuspid annular ring, fracture of (Kay and Hammond), 635 (letter)
Pulmonary arteriovenous malformations, multiple, complicating hereditary hemorrhagic telangiectasia, staged bilateral thoracotomies for (Brown et al.), 285
artery continuity, right ventricle–hypoplastic, without use of extracorporeal circulation, establishment of (Puga and Uretzky), 74
hemorrhage, catheter-induced (Lee et al.), 796 (letter); Reply (Barash and Hammond), 797
main, rupture of syphilitic aneurysm of ascending aorta into: successful emergency repair (Panday et al.), 470 (letter)
cava- (Glenn) anastomosis in palliative treatment of congenital heart disease, role of (di Carlo et al.), 437
fungal infections: survey of 159 cases with surgical implications (Newsom and Hardy), 218
lesions, benign and malignant, role of bronchoplastic procedures in surgical management of (Lowe et al.), 227
operations in infants and children, changing spectrum of (Campbell and Lilly), 680
parenchyma, effects of profound cryotherapy upon (Rodgers et al.), 784
resection for metastatic lesions, results of (Wright et al.), 94
shunt and arterial oxygenation during thoracotomy with endobronchial anesthesia, changes in (Fiser et al.), 523
valve causing severe pulmonic stenosis in infancy, myxoma of (Yakirevich et al.), 936 (letter)
valvulotomy alone for pulmonary stenosis: results in children with and without muscular infundibular hypertrophy (Griffith et al.), 577
vascular morphology in shunted and nonshunted patients with tetralogy of Fallot (Shapira et al.), 650
vein atresia, common: importance of immediate recognition and surgical intervention (Khonsari et al.), 443

R

Randomizing surgical therapy, case for (Spodick), 150 (letter); Reply (Berg), 150
Rat heart, working, isolated, ribose-enhanced myocardial recovery following ischemia in (Pasque et al.), 390
Reconstruction of new atrial septum in Senning operation (Eufrate and Luisi), 638 (letter); Reply (Subramanian), 638
partial, of right ventricular outflow tract without cardiopulmonary bypass (Alvarez Diaz et al.), 149 (letter)
Recovery, myocardial, ribose-enhanced, following ischemia in isolated working rat heart (Pasque et al.), 390
Repair of aortic coarctation in infants, determinants of early success in (Bergdahl et al.), 736
arterial, without coronary relocation for complete transposition of great vessels with ventricular septal defect: report of case (Damus et al.), 316
of diaphragmatic defects, glutaraldehyde-preserved heterologous pericardium for: experimental study (Gallo et al.), 905
palliative, of transposition of great arteries with criss-cross heart: ventricular septal defect and hypoplastic right (systemic) ventricle (Dunn et al.), 755
of refractory sternal dehiscence: new technique (Del Campo and Heimbecker), 937 (letter)
Replacement, esophageal, with jejunum in children: 18 to 33 year follow-up (Ring et al.), 918

Replacement, esophageal—Cont'd
technique of jejunal interposition for (Foker et al.), 928 (curr. tech.)
prosthetic, of entire left hemidiaphragm in malignant fibrous histiocytoma of diaphragm (Tanaka et al.), 278
Replacement, valve. *See* Valve
Resection, pulmonary, for metastatic lesions, results of (Wright et al.), 94
in small cell carcinoma of lung, Phase II trial of extended indications for (Meyer et al.), 12
Retroperfusion, diastolic, of coronary veins, modification of myocardial ischemia in normal and hypertrophied hearts utilizing (Gundry et al.), 659
Revascularization, myocardial, anesthesia for (Lell et al.), 795 (letter); Reply (Wilkinson), 795
in impaired ventricle, hemodynamic effect of (Cukingnan et al.), 711
Rib fracture, first, undergo arteriography, should all patients with (Lazrove et al.), 532
Ribose-enhanced myocardial recovery following ischemia in isolated working rat heart (Pasque et al.), 390
Ring, annular, tricuspid, prosthetic, fracture of (Kay and Hammond), 635 (letter)
vascular: left cervical aortic arch, right descending aorta, and right ligamentum arteriosum (Whitman et al.), 311
Risk-benefit analysis of warfarin therapy in Hancock mitral valve replacement (Hill et al.), 718
Rupture of syphilitic aneurysm of ascending aorta into main pulmonary artery: successful emergency repair (Panday et al.), 470 (letter)

S

Samson, Paul C. (1905-1982), 934 (obit.)
Thoracic Surgical Society: Announcement of 1982 Annual Meeting, 154, 321, 481, 641, 800, 945
Program of 1982 Annual Meeting, 802
Roster of members, 156
Saphenous-jugular bypass as palliative therapy of superior vena cava syndrome caused by bronchial carcinoma (Vincze et al.), 272
vein coronary artery bypass grafts, effect of antithrombotic therapy on patency rates of (McEnany et al.), 81
graft patency by contrast-enhanced computed tomography, assessment of (Ullyot et al.), 512
Sclerosis, tuberous, spontaneous pneumothorax associated with (Babcock and Snyder), 100
Senning operation, reconstruction of new atrial septum in (Eufrate and Luisi), 638 (letter); Reply (Subramanian), 638
Septal defects, atrioventricular, left-sided obstructive lesions in: anatomic study (Piccoli et al.), 453
What's in a name (Becker and Anderson), 461 (edit.)
Septum, atrial, new, in Senning operation, reconstruction of (Eufrate and Luisi), 638 (letter); Reply (Subramanian), 638
Shock and myocardial infarction, perioperative, long-term survival with partial left heart bypass following (Rose et al.), 483
Shunt, Blalock-Taussig, intrapericardial (Pappas and Hawes), 422
pulmonary, and arterial oxygenation during thoracotomy with endobronchial anesthesia, changes in (Fiser et al.), 523
Shunted and nonshunted patients with tetralogy of Fallot, pulmonary vascular morphology in (Shapira et al.), 650
Silicone rubber stent, bifurcated, for relief of tracheobronchial obstruction (Westaby et al.), 414
Sinus and atrioventricular nodal function: preoperative and early postoperative assessment in children (Wolff et al.), 141
Sodium concentrations in cardioplegic solutions (Dorsey), 635 (letter); Reply (Jellinek and Barner), 636; Reply (Ellis), 637
Solution(s) buffering, cardioplegic, and multidose cardioplegia on myocardial tissue acidosis, effect of (Tait et al.), 824
cardioplegic, improved myocardial preservation by improved distribution of (Vander Salm et al.), 767
sodium concentrations in (Dorsey), 635 (letter); Reply (Jellinek and Barner), 636; Reply (Ellis), 637
hyperosmolar, oxygenated, orthotopic transplantation of baboon heart after 20 to 24 hours' preservation by continuous hypothermic perfusion with (Wicomb et al.), 133
Sonomicrometric determination of ischemic contracture of left ventricle (Van Trigt et al.), 298
Speed limit, impact of. I. Chest injuries, review of 966 cases (Alyono and Perry), 519
St. Jude Medical mitral valve prosthesis, periprosthetic leak mimicking entrapment of leaflet in: case report (Gutierrez et al.), 471 (letter)
valve, aortic, despite "adequate" anticoagulation, fatal thrombosis of: anatomic and technical considerations (Moulton et al.), 472 (letter)
Stenosis, aortic, calcific, and gastrointestinal bleeding, syndrome of: resolution following aortic valve replacement (Love), 779
coronary, cardioplegic delivery with (Borst), 637 (letter); Reply (Buckberg), 637
pulmonary, pulmonary valvulotomy alone for: results in children with and without muscular infundibular hypertrophy (Griffith et al.), 577
pulmonic, severe, in infancy, myxoma of pulmonary valve causing (Yakirevich et al.), 936 (letter)
tracheal, funnel-shaped, congenital: asymptomatic lethal anomaly of early infancy (Janik et al.), 761
Stent-post bending, inward, of porcine bioprosthesis in mitral position: cause of bioprosthetic dysfunction (Borkon et al.), 105
silicone rubber, bifurcated, for relief of tracheobronchial obstruction (Westaby et al.), 414
Sternal dehiscence, refractory, repair of: new technique (Del Campo and Heimbecker), 937 (letter)
infection after cardiac transplantation: successful salvage utilizing variety of techniques (Pearl et al.), 632
Sternotomy, median, brachial plexus injury following. Part II (Vander Salm et al.), 914
Subcellular function, myocardial, after 24 hours of in vitro preservation and transplantation, assessment of (Warner et al.), 290
Superior vena cava, bypass of: six years' experience with spiral vein graft for obstruction of superior vena cava due to benign and malignant disease (Doty), 326
syndrome caused by bronchial carcinoma, saphenous-jugular bypass as palliative therapy of (Vincze et al.), 272
Superoxide dismutase plus catalase enhances efficacy of hypothermic cardioplegia to protect globally ischemic, reperfused heart (Shlafer et al.), 830
Support, mechanical, of failing left ventricle, clinical results of (Golding et al.), 597

Surgery, thoracic, overview of thirty years of (Meyer), 163 (Presidential Address)
Surgical therapy, randomizing, case for (Spodick), 150 (letter); Reply (Berg), 150
Sutureless prosthesis, intraluminal: improved results for dissecting aneurysms (Lemole et al.), 249
Symptomatic relief, graft patency, and postoperative work status, relationship between (Jensen et al.), 503
Syndrome of calcific aortic stenosis and gastrointestinal bleeding: resolution following aortic valve replacement (Love), 779
superior vena cava, caused by bronchial carcinoma, saphenous-jugular bypass as palliative therapy of (Vincze et al.), 272
Syphilitic aneurysm of ascending aorta into main pulmonary artery, rupture of: successful emergency repair (Panday et al.), 470 (letter)

T

Tachycardia, ventricular, ischemic, refractory, encircling endocardial ventriculotomy for. I. Electrophysiological effects (Ungerleider et al.), 840
II. Effects on regional myocardial blood flow (Ungerleider et al.), 850
III. Effects on regional left ventricular function (Ungerleider et al.), 857
IV. Clinical indications, surgical technique, mechanism of action, and results (Cox et al.), 865
Tamponade, atypical, after cardiac operation in infants and children (Shore et al.), 449
Taussig-Bing anomaly, new technique for correction of (Smith et al.), 901
Technical hint to correct loose anastomoses (Grondin et al.), 939 (letter)
Technique(s) of jejunal interposition for esophageal replacement (Foker et al.), 928 (curr. tech.)
new, for correction of Taussig-Bing anomaly (Smith et al.), 901
repair of refractory sternal dehiscence (Del Campo and Heimbecker), 937 (letter)
successful salvage utilizing variety of: sternal infection after cardiac transplantation (Pearl et al.), 632
surgical, clinical indications, mechanism of action, and results, IV. Encircling endocardial ventriculotomy for refractory ischemic ventricular tachycardia (Cox et al.), 865
and value of operative arteriography in coronary artery bypass operations (Rainer et al.), 358
Telangiectasia, hemorrhagic, hereditary, staged bilateral thoracotomies for multiple pulmonary arteriovenous malformations complicating (Brown et al.), 285
Temperature dependence of recovery of metabolic function following hypothermic potassium cardioplegic arrest (Rousou et al.), 117
effects on end-diastolic pressure-volume relations in canine left ventricle determined by two-dimensional echocardiography, absence of (Haasler et al.), 878
and pressure, safe limits of: cardioplegic infusion (Johnson et al.), 813
Teratoma, intracardiac, successful excision of (Maeta et al.), 909
Tetralogy of Fallot, pulmonary vascular morphology in shunted and nonshunted patients with (Shapira et al.), 650
Therapy, randomizing surgical, case for (Spodick), 150 (letter); Reply (Berg), 150
Thoracic surgery, overview of thirty years of (Meyer), 163 (Presidential Address)
Thoracoscopic evaluation of intrathoracic lesions in children (Janik et al.), 408
Thoracotomy(ies), bilateral, staged, for multiple pulmonary arteriovenous malformations complicating hereditary hemorrhagic telangiectasia (Brown et al.), 285
with endobronchial anesthesia, changes in arterial oxygenation and pulmonary shunt during (Fiser et al.), 523
Thromboembolism and performance after porcine xenograft cardiac valve replacement, factors affecting (Geha et al.), 377
Thrombolysis, intracoronary, and subsequent aorta-coronary bypass, management of evolving myocardial infarction by (Krebber et al.), 186
Thrombosis, fatal, of aortic St. Jude Medical valve despite "adequate" anticoagulation: anatomic and technical considerations (Moulton et al.), 472 (letter)
Tomography, computed, contrast-enhanced, assessment of saphenous vein graft patency by (Ullyot et al.), 512
Tone, venous, effect of cardiopulmonary bypass on, II. Vasomotor dynamics associated with cardiac operations (Doty et al.), 732
and effects of vasodilators, I. Vasomotor dynamics associated with cardiac operations (Gall et al.), 724
Trachea, bullet wounds of (Symbas et al.), 235
Tracheal stenosis, funnel-shaped, congenital: asymptomatic lethal anomaly of early infancy (Janik et al.), 761
Tracheobronchial obstruction, bifurcated silicone rubber stent for relief of (Westaby et al.), 414
Tracheoesophageal fistula, traumatic (Martyn), 790 (letter)
Tract, outflow, right ventricular, without cardiopulmonary bypass, partial reconstruction of (Alvarez Diaz et al.), 149 (letter)
Training and certification of cardiovascular perfusionists (Clark and Magovern), 324 (edit.)
Transplantation, cardiac, in perspective for future: survival, complications, rehabilitation, and cost (Pennock et al.), 168
sternal infection after: successful salvage utilizing variety of techniques (Pearl et al.), 632
lung, canine, bronchial omentopexy in (Lima et al.), 418
orthotopic, of baboon heart after 20 to 24 hours' preservation by continuous hypothermic perfusion with oxygenated hyperosmolar solution (Wicomb et al.), 133
and in vitro preservation, assessment of myocardial subcellular function after 24 hours of (Warner et al.), 290
Transposition of great arteries, anatomic correction of (Jatene et al.), 20
complete, with ventricular septal defect, abnormalities of tricuspid valve in (Huhta et al.), 569
with criss-cross heart, palliative repair of: ventricular septal defect and hypoplastic right (systemic) ventricle (Dunn et al.), 755
impeded coronary flow in anatomic correction of: prevention, detection, and management (Goor et al.), 747
vessels, complete, with ventricular septal defect, arterial repair without coronary relocation for: report of case (Damus et al.), 316
Transverse arch and ascending aorta, aneurysms of: surgical experience in 80 patients (Culliford et al.), 701
Trauma, blood, during perfusion with membrane and bubble oxygenators, clinical study of (van den Dungen et al.), 108

Trauma—Cont'd
chest, blunt, acute coronary artery occlusion secondary to (Pifarré et al.), 122
Traumatic tracheoesophageal fistula (Martyn), 790 (letter)
Treatment of bronchiectasis, current results of (Annest et al.), 546
Trials, drug, in prevention of occlusion of aorta–coronary artery vein grafts (Chesebro and Fuster), 90 (edit.)
Tricuspid annular ring, prosthetic, fracture of (Kay and Hammond), 635 (letter)
valve in complete transposition of great arteries with ventricular septal defect, abnormalities of (Huhta et al.), 569
Truncus arteriosus in neonate using nonvalved conduit, correction of (Peetz et al.), 743
Tube, endotracheal, with movable blocker: new device for one-lung anesthesia (Inoue et al.), 940 (letter)
Tuberous sclerosis, spontaneous pneumothorax associated with (Babcock and Snyder), 100
Tumor(s), cardiac, primary: experience with 25 cases (Larrieu et al.), 339
clonogenic system, human, growth of lung cancer in (Kitten et al.), 363
germ cell, primary, of mediastinum, management of (Economou et al.), 843
Two-dimensional ultrasound and cardiac operations (Spotnitz), 43

U

Ultrasound, two-dimensional, and cardiac operations (Spotnitz), 43
Ultrastructural and angiographic findings, correlation of: factors influencing early patency of coronary artery bypass vein grafts (Catinella et al.), 686

V

Valve, aortic, St. Jude Medical, despite "adequate" anticoagulation, fatal thrombosis of: anatomic and technical considerations (Moulton et al.), 472 (letter)
bioprostheses, cardiac, calcification of: biochemical, histologic, and ultrastructural observations in subcutaneous implantation model system (Fishbein et al.), 602
pericardial, bovine, in adolescent, accelerated calcific degeneration of (Shimon et al.), 794 (letter)
prosthesis, mitral, St. Jude Medical, periprosthetic leak mimicking entrapment of leaflet in: case report (Gutierrez et al.), 471 (letter)
pulmonary, causing severe pulmonic stenosis in infancy, myxoma of (Yakirevich et al.), 936 (letter)
replacement, aortic, resolution following: syndrome of calcific aortic stenosis and gastrointestinal bleeding (Love), 779
cardiac, xenograft, porcine, factors affecting performance and thromboembolism after (Geha et al.), 377
in children: fifteen-year perspective (Gardner et al.), 178
mitral, in children (Human et al.), 873
early failures of Ionescu-Shiley bioprosthesis after (Galioto et al.), 306
Hancock, risk-benefit analysis of warfarin therapy in (Hill et al.), 718
tricuspid, in complete transposition of great arteries with ventricular septal defect, abnormalities of (Huhta et al.), 569
Valved, non-, conduit, correction of truncus arteriosus in neonate using (Peetz et al.), 743
porcine-, extracardiac conduits, right-sided, pathogenesis of nonobstructive fibrous peels in (Agarwal et al.), 584
Valvular bioprostheses, continuing improvements in (Carpentier et al.), 27
porcine, implanted, intracuspal hematomas in: clinical and experimental studies (Ishihara et al.), 399
failure, bioprosthetic: clinical and pathological observations in experimental animal model (Barnhart et al.), 618
Valvulotomy alone, pulmonary, for pulmonary stenosis: results in children with and without muscular infundibular hypertrophy (Griffith et al.), 577
Vascular morphology, pulmonary, in shunted and nonshunted patients with tetralogy of Fallot (Shapira et al.), 650
ring: left cervical aortic arch, right descending aorta, and right ligamentum arteriosum (Whitman et al.), 311
Vasodilators, effects of, and venous tone, I. Vasomotor dynamics associated with cardiac operations (Gall et al.), 724
Vasomotor dynamics associated with cardiac operations. I. Venous tone and effects of vasodilators (Gall et al.), 724
II. Effect of cardiopulmonary bypass on venous tone (Doty et al.), 732
Vein(s) atresia, common pulmonary: importance of immediate recognition and surgical intervention (Khonsari et al.), 443
coronary artery bypass grafts, saphenous, effect of antithrombotic therapy on patency rates of (McEnany et al.), 81
modification of myocardial ischemia in normal and hypertrophied hearts utilizing diastolic retroperfusion of (Gundry et al.), 659
grafts, aorta–coronary artery, drug trials in prevention of occlusion of (Chesebro and Fuster), 90 (edit.)
coronary artery bypass, factors influencing early patency of: correlation of angiographic and ultrastructural findings (Catinella et al.), 686
patency, saphenous, by contrast-enhanced computed tomography, assessment of (Ullyot et al.), 512
Vena cava, superior, bypass of: six years' experience with spiral vein graft for obstruction of superior vena cava due to benign and malignant disease (Doty), 326
syndrome, superior, caused by bronchial carcinoma, saphenous-jugular bypass as palliative therapy of (Vincze et al.), 272
Venous tone, effect of cardiopulmonary bypass on, II. Vasomotor dynamics associated with cardiac operations (Doty et al.), 732
and effects of vasodilators, I. Vasomotor dynamics associated with cardiac operations (Gall et al.), 724
Ventricle–hypoplastic pulmonary artery continuity, right, without use of extracorporeal circulation, establishment of (Puga and Uretzky), 74
impaired, hemodynamic effect of myocardial revascularization in (Cukingnan et al.), 711
left, canine, determined by two-dimensional echocardiography, absence of temperature effects on end-diastolic pressure-volume relations in (Haasler et al.), 878
failing, clinical results of mechanical support of (Golding et al.), 597
sonomicrometric determination of ischemic contracture of (Van Trigt et al.), 298
normal, pressure-loaded, and volume-loaded, postoperative, hemodynamic comparison of dopamine and dobutamine in (DiSesa et al.), 256
right (systemic), hypoplastic, and ventricular septal defect: palliative repair of transposition of great arteries with criss-cross heart (Dunn et al.), 755

Ventricular function, left, aorta, and coronary artery bypass grafts, new techniques for noninvasive evaluation of: computerized fluoroscopy (Myerowitz et al.), 65
outflow tract, right, without cardiopulmonary bypass, partial reconstruction of (Alvarez Diaz et al.), 149 (letter)
septal defect, abnormalities of tricuspid valve in complete transposition of great arteries with (Huhta et al.), 569
arterial repair without coronary relocation for complete transposition of great vessels with: report of case (Damus et al.), 316
and hypoplastic right (systemic) ventricle: palliative repair of transposition of great arteries with criss-cross heart (Dunn et al.), 755
tachycardia, ischemic, refractory, encircling endocardial ventriculotomy for. I. Electrophysiological effects (Ungerleider et al.), 840
II. Effects on regional myocardial blood flow (Ungerleider et al.), 850
III. Effects on regional left ventricular function (Ungerleider et al.), 857
IV. Clinical indications, surgical technique, mechanism of action, and results (Cox et al.), 865
Ventriculotomy, endocardial, encircling, for refractory ischemic ventricular tachycardia. I. Electrophysiological effects (Ungerleider et al.), 840
II. Effects on regional myocardial blood flow (Ungerleider et al.), 850
III. Effects on regional left ventricular function (Ungerleider et al.), 857
IV. Clinical indications, surgical technique, mechanism of action, and results (Cox et al.), 865
Verapamil therapy of atrial fibrillation and atrial flutter following cardiac operation (Plumb et al.), 590
Vessels, great, complete transposition of, with ventricular septal defect, arterial repair without coronary relocation for: report of case (Damus et al.), 316
Volume-loaded, pressure-loaded, and normal ventricle, postoperative, hemodynamic comparison of dopamine and dobutamine in (DiSesa et al.), 256

W

Warfarin therapy in Hancock mitral valve replacement, risk-benefit analysis of (Hill et al.), 718
Washout, artery, coronary, multidose, during elective cardiac arrest and cardiopulmonary bypass, beneficial effects of: biochemical and hemodynamic evaluation (Walls et al.), 772
Window, aortic, bronchogenic carcinoma located in: importance of primary lesion as determinant of survival (Levett et al.), 551
Work status, postoperative, graft patency, and symptomatic relief, relationship between (Jensen et al.), 503
Wounds, bullet, of trachea (Symbas et al.), 235

X

Xenograft(s) cardiac valve replacement, porcine, factors affecting performance and thromboembolism after (Geha et al.), 377
porcine, glutaraldehyde-preserved, twelve-year experience with (Angell et al.), 493

Y

Young persons, lung cancer in (DeCaro and Benfield), 372